



drive.web *automation Catalog 2022*

issue 1



Automation Things for the IIoT

Smart devices

Internet accessible

Ethernet, peer-to-peer

Configurable from anywhere

Everything normally in stock!

Since our founding in 1992 we have worked hard to build our reputation around key goals:

- Innovative technologies.
- Reliable products.
- Unrelenting customer support.
- All catalog items normally in stock.
- Competitive pricing.



Our Company President: Paul Crowhurst

Bardac ...the safe bet!

Seamlessly Integrated Automation

AC DRIVES



drive.web



DC DRIVES



smart devices for the IIoT

POWER QUALITY ~ MOTORS ~ ENGINEERING ~ SERVICE ~ SUPPORT ~ TRAINING

pages 58 - 59

Specifications ... At the time of going to press we believe the information in this catalog to be accurate. However, the specifications of products may be amended at any time, so please check with us when ordering to ensure that such changes will not affect your requirements.

Configure, connect & control everything ... in one environment
Internet accessible, peer-to-peer Ethernet with savvy tools
Cost effective for systems of any size or complexity



Automation Things ... smart ... connected ... IIoT ready

drive.web automation

total connectivity

enterprise management - machine operators - system engineering

drive.web

A Unique Architecture

1 *drive.web* devices connect peer-to-peer over ethernet to form a completely homogenous control environment.

2 *drive.web* devices provide a full featured programmable control environment. Each device processor contributes to the total system processing capacity so that as the system gets bigger it's capacity increases.

3 An unlimited number of *drive.web* devices can be incorporated into a system to provide an unlimited amount of processing capacity and I/O with undiminished performance.

4 The *drive.web* devices store all the device and complete system configuration data including touch screen PC, iOS & Android display data - everything!

5 A *speedy* embedded in a drive takes over the entire drive; its setup, control, & memory management. It becomes an integral part of the drive and now looks just like the drive. Any actions from the drive keypad or terminals or serial ports are instantly synchronized.

6 *savvyPanel* touch screen PC, iOS & Android display graphics and configuration data all resides in the *drive.web* devices so that you can roam to any WiFi location with your iPad and view a system (subject to access permission).

7 Easily create a graphical interface to almost any control device to bring it into your unique, homogenous, *drive.web* environment.


Vector Drives

Easy setup & full featured, programmable control onboard drives



USB Port

- Easy drive configuration
- Plug & play drive interface
- System wide programming access



savvy

Graphical, function black tools

1. Easy drive configuration
2. Powerful systems design & integration
3. Trend charts
4. Signal flow diagrams
5. Internet access
6. Intuitive system navigation tools

Internet
Remote system access

smart automation

production control - maintenance - tech support

speedy

Universal Automation Controllers

- Embedded available
- Easy gateway to instrumentation
- Fast data collection
- Mount anywhere DIN option



DC Regen Drives

save time



High efficiency ECO drives

speedy

Integrated Universal Automation Controller

- provides easy coordination of ECO drives in building energy systems
- easily interfaces to existing third party drives & controls
- add ethernet and USB device access
- boost network performance
- add full featured programmable control

save energy



savvyPanel touch

Hi-res industrial stations



NEW! smarty⁷



smarty

Universal Automation Controllers

- Easy sensor interface
- Precision analog I/O
- Fast logic I/O with powerful state machine programming
- 16 precision analog & logic I/O
- Encoder I/O for indexing, registration, and shaft lock
- Multiple communications options
- Unlimited expansion with no loss of system bandwidth



savvyPanel

Integrated touch screen HMI technology

For touch screen PC, Android or iOS devices

drive.web

drive.web uses distributed control over Ethernet to provide cost effective, high performance integration of drives & controls in systems of any size or complexity.



Concept & Planning

From your initial sketches and notes create **drive.web savvy** "Phantoms" offline to identify all your drives, remote I/O, MMI interfaces, gateways, etc.

Design & Configuration

Place any control function blocks you need then drag & drop between parameters in your "Phantoms" to make all your device interconnections. The **savvy** Signal Flow Diagrams and powerful navigation aids give you a clear intuitive view of your work. Information and help is always on the spot with hover text, links to the manual, and contextual menus.

Construction & Testing

Simply connect all your drives and devices together over Ethernet and load your complete design into the devices from just one location. The System immediately comes alive for testing and monitoring.

Installation & Operation

Use **drive.web savvy** to provide real time monitoring and control of your entire system from any location. No running from drive to drive to check the setup or operational state! Use **savvyPanel** operator station technology to provide smart touch and roaming control from anywhere.

Management & Maintenance

Use **savvy** utilities to setup system performance criteria and monitor your productivity, machine state, and process trends locally or remotely over the internet.

FROM THE INITIAL CONCEPT,
THROUGH PLANNING,
DESIGN, CONSTRUCTION,
TESTING, INSTALLATION, AND
OPERATION, THE
DRIVE.WEB SAVVY TOOLS
PROVIDE ALL THE VISION,
INSIGHT, AND HELP YOU
NEED FOR A SUCCESSFUL
PROJECT!



smart automation

The innovative **drive.web** technology provides total control in one homogeneous environment with the entire system database resident in the **drive.web** devices.

- Configure & control individual drives & devices
- Design and operate complete drive systems
- Provide fast, peer-to-peer networking over ethernet
- Create clear, graphical signal flow system documentation
- Easily interface to most other drives, MMIs, PLCs, etc.
- Build cost effective systems of any size or complexity
- Add internet accessibility to your system
- Support worldwide enterprise integration

products


savvy Tools

Intuitive, graphical system design and device configuration tools with powerful navigation features, drag & drop connections, trend charting, online help.



savvyPanel Touch Screens

Innovative, touch screen operator station technology that runs on PC or iOS (iPad, iPhone, etc.) & Android. Build clear machine graphics, buttons, switches, meters, and instrumentation and link to your control scheme. Provides multi-user, multi-level, password protected access via WiFi from anywhere to any system.



smarty Universal Controller

A range of DIN mount **drive.web** programmable controllers with peer-to-peer networking over ethernet or stand alone capability and a wide range of I/O and communications options. Intuitive, easy function block configurations are stored on board for instant field access.



speedy Embedded Controller

Miniature, low cost, **drive.web**, programmable controllers for easy embedding in drives & devices. Includes peer-to-peer networking over Ethernet & USB port.



Only 0.91"W x 0.83"H x 1.42"D!



speedy

Embedded & onboard controllers

for total systems integration

so small it's easy to miss,
so smart it's impossible to beat!

*Only 0.91" wide x 0.83" high x 1.42" deep
(23 x 21 x 36mm)*

take a closer look ...

- The easiest, affordable way to get all your drives & devices up onto peer to peer Ethernet
- Improve your system bandwidth by reducing your RS485 network load
- Add full featured programmable control
- Same huge processing power as a *smarty*
- 100baseTX Ethernet peer to peer networking
- USB port for easy system wide programming
- Fast ModbusRTU or CAN bus device interface
- Very smart, very fast!



Universal Automation Controller

Unbeatable Performance

speedy

miniature, full featured controllers

Serial interfaced on-board drives and third party devices via ModbusRTU or CANopen to provide low cost, improved performance, peer-to-peer Ethernet networking and full featured programmable control functions.


A small package with big performance!

Includes USB port for system wide programming, Ethernet ModbusTCP/IP and **savvyPanel** interface. Available forms:

- Tether interface with either plug-in or 4-wire serial connection
- Optional DIN rail mount with screw terminals
- Customized form for embedding into drives and devices

configure, connect & control ... everything!

- Provides full featured **savvyPanel** operator station interface
- Add unlimited processing muscle to your system
- Add peer to peer Ethernet networking
- Add easy USB system access
- Use as a gateway



Film line winder



Cyclic indexing system



speedy

DIN mount, free standing controller

- Provide an Ethernet to ModbusRTU gateway to third party devices
- Provide extra system processing capacity & memory



speedy

for embedded or onboard control



speedy

embedded control

smarty dw210 - Universal Automation Controllers

Industry leader since 2008

100% compatible with new dw240 and dw250

Smart controllers, DIN mount with 100baseTX Ethernet distributed control, USB port and wide range of I/O & communications options

16 standard I/O, each configurable as:

8: $\pm 10V$, 16 bit analog in or out or 24V digital in

8: 0-10V, 16 bit analog in or 24/12/5V dig in or 24V dig out, source or sink

dw210 *smarty* for standalone or networked applications

General purpose programmable controller or drive interface controller

See page 26 for other drive and device integration apps



0.91" wide x 4.09" high x 4.72" deep
(23 x 104 x 120 mm)

speedy dw220 series



Only 21 x 22 x 36 mm!



DIN mount dwOPTION -50

Mini smart controllers for use on-board or embedded in drives & devices with *drive.web* distributed control over 100baseTX Ethernet, ModbusTCP/IP, USB port, fast serial port (up to 500kbps), full-featured savvyPanel HMI, & communications options

dw220 *speedy* generic interface controller with 500kbps ModbusRTU master & 15" wire interface

dw221 *speedy* plug-in automation controller for PL/X Series DC drive

dw222 *speedy* plug-in automation controller for ODE2 General Purpose VFD

dw223 *speedy* plug-in automation controller for ODP Sensorless Vector drive

dw224 *speedy* plug-in automation controller for P2 Closed Loop Vector drive

dw224S *speedy* plug-in automation controller for SEW Eurodrive MLTP Closed Loop Vector drive

dw225 *speedy* automation controller for Yaskawa F7 drive with 15" wired interface

dw228 *speedy* plug-in automation controller for E3 Series General Purpose drive

dw229 *speedy* automation controller with generic CANopen device with 15" wired interface

see page 26 for other drive and device integration apps

Easy, on-board & embedded automation for drives & devices
Very small, very smart, very affordable
Goes anywhere - does everything!



High performance film winder



21 section embossing line



Airport transit car load sharing system

Model Numbers



smarty

speedy

smarty & speedy Product build options

Function Block Libraries

		dw210	dw220	dw221	dw222	dw223	dw224	dw225	dw228	dw229
-05	Advanced Process Control Function Block Library (FBL) (comparators, profilers, presets, latches, filters, counters, timers, PIDs)	X	X	X	X	X	X	X	X	X
-06	Winder Control FBL (dia. calc., taper tension, torque comp.)	X	X	X	X	X	X	X	X	X
-10	Advanced Math FBL (trigonometric, log, exponential)	X	X	X	X	X	X	X	X	X
-11	Encoder Control FBL (shaft lock, indexing, registration for Options 40-44)	X								
-29	Solar FBL with sun position calculator	X	X	X	X	X	X	X	X	X
-36	Motion Control FBL with Trapezoidal Motion & Cam Profile	X	X	X	X	X	X	X	X	X

Communications Options

-04	Ethernet Modbus TCP/IP slave	X	S	S	S	S	S	S	S	S
-25	Ethernet EIP/PCCC interface for AB PLCs	X	X	X	X	X	X	X	X	X
-17*	ModbusRTU slave (RS485) isolated port	X								
-18*	ModbusRTU slave (RS485) isolated port + external encoder module port	X								
-19*	ModbusRTU slave (RS485) isolated port + ModbusRTU master non-iso	X								
-23*	ModbusRTU master (RS485) isolated port + external encoder module port	X								

I/O Options

-24*	6 extra digital inputs, 24V	X								
-26	savvyPanel iPad/iPhone/Android & touch screen PC operator station interface	X	S	S	S	S	S	S	S	S
-27*	Frequency I/O, up to 100KHz. 2 ~in, 2 ~I/O, with 12V, 400mA pwr supply	X								
-30	115VAC digital I/O voltage isolator, up to 2/smarty (not CE or UL Listed) (each with 2, NO contacts + common and 4, 115VAC inputs +common)	X								
-31	230VAC digital I/O voltage isolator, up to 2/smarty (not CE or UL Listed) (each with 2, NO contacts + common and 4, 230VAC inputs +common)	X								
-37*	2-Channel, Open Loop Stepper Drive Controller with 2 fast event inputs	X								
-38*	2-Channel, Closed Loop Stepper Drive Controller, i2i port for OPT-42-45	X								

Encoder I/O Option

-15*	Internal encoder input 2-24V, differential A & B (no marker) w/5VDC	X								
-16*	External encoder module interface port	X								
	smarty external encoder module (needs a smarty dw210 option -16, -18, -23)									
-42-45	2 ext encoder, 2-24V, marker, 5VDC o/p, 2x 24V event in, RS422 RTX	X								
-42-46	2 ext encoder, 24V retransmit outputs ($\pm 1A$, $\pm 1B$, $\pm 2A$, $\pm 2B$)	X								




dwOPTION -42-46
Encoder module

Mounting Options

-50	DIN rail mount with screw terminal connections		X					X		X
-----	--	--	---	--	--	--	--	---	--	---

* Options are mutually exclusive X = Available if not excluded S = Standard feature



drive.web automation

smarty & speedy - stock controller options (un-configured)

speedy & smarty standard programmable controller dwOPTION -00

- Basic drive coordination and peer to peer networking over Ethernet
- Basic machine control

Includes 100baseTX Ethernet and USB port with system wide access together with:

basic arithmetic, logic, PI control, clamp, switches, basic *savvyPanel* touch screen PC, iOS & Android control, systems utilities, event email

smart systems controller - pack 1

speedy & smarty dwOPTION -1121 for

- Process line drive coordination
- General purpose machine control

Includes all standard controller features together with:

advanced arithmetic, logic, process control, counters, timers, touch screen PC, iOS & Android control, systems utilities

Incorporates standard *drive.web* options

- 04, ModbusTCP/IP slave Ethernet
- 05, Advanced Process control Function Block Library
- 25, EIP/PCCC Ethernet slave for Allen Bradley interface
- 26, *savvyPanel* full featured, touch screen PC, iOS & Android operator station controller



smart systems, winders & motion - pack 2

speedy & smarty dwOPTION -1122 for

- Full featured winder control with single or multi cores, turret indexing, auto splicing, open and closed loop, edging
- Web handling, tension control, accumulators, infeeds, center winding, slip core, surface winding

Includes all *pack 1*, dwOPTION -1121 features together with:

diameter calculation, linear and hyperbolic taper control, static/dynamic friction compensation, inertia compensation

Incorporates standard *drive.web* options

- 04, ModbusTCP/IP slave Ethernet
- 05, Advanced Process control Function Block Library
- 06, Winder Control Function Block Library
- 25, EIP/PCCC Ethernet slave for Allen Bradley interface
- 26, *savvyPanel* full featured, touch screen PC, iOS & Android operator station controller
- 36, Motion Control Function Block Library with trapezoidal & cam motion



precision smart control with 1 encoder - pack 3

smarty dwOPTION -1123 for

- Basic precision speed, position or winder control
- Basic encoder count control

Includes all *pack 2*, dwOPTION -1122 features together with:

cyclic position, linear position, indexing

Incorporates standard *drive.web* options

- 04, ModbusTCP/IP slave Ethernet
- 05, Advanced Process control Function Block Library
- 06, Winder Control Function Block Library
- 11, Encoder Control Function Block Library
- 15, Single bidirectional encoder input
- 25, EIP/PCCC Ethernet slave for Allen Bradley interface
- 26, *savvyPanel* full featured, touch screen PC, iOS & Android operator station controller
- 36, Motion Control Function Block Library with trapezoidal & cam motion



precision smart control with 2 encoders - pack 4

smarty dwOPTION -1124 for

- Precision speed, position or winder control, registration, phase lock, fast event counting
- Encoder count control with home auto calibration
- Dual axis pick & place with trapezoidal motion
- Cut to length with cam motion control

Includes all **pack 3**, dwOPTION -1123 features together with:

registration, fast event counting, speed lock, phase lock, precision ratio

Incorporates standard **drive.web** options

- 04, ModbusTCP/IP slave Ethernet
- 05, Advanced Process control Function Block Library
- 06, Winder Control Function Block Library
- 11, Encoder Control Function Block Library
- 16, External encoder module interface port
- 25, EIP/PCCC Ethernet slave for Allen Bradley interface
- 26, **savvyPanel** full featured, touch screen PC, iOS & Android operator station controller
- 36, Motion Control Function Block Library with trapezoidal & cam motion
- 42-45, External dual, bidirectional encoder module with marker, fast event inputs, buffered encoder retransmit, 5VDC encoder supply



precision stepper control with 2 encoders - pack 5

smarty dwOPTION -1125 for stepper drive control


- Precision speed, position or winder control, registration, phase lock, fast event counting
- Encoder count control with home auto calibration
- Dual axis pick & place with trapezoidal motion
- Cut to length with cam motion control

Includes all **pack 3**, dwOPTION -1123 features together with:

registration, fast event counting, speed lock, phase lock, precision ratio

Incorporates standard **drive.web** options

- 04, ModbusTCP/IP slave Ethernet
- 05, Advanced Process control Function Block Library
- 06, Winder Control Function Block Library
- 11, Encoder Control Function Block Library
- 25, EIP/PCCC Ethernet slave for Allen Bradley interface
- 26, **savvyPanel** full featured, touch screen PC, iOS & Android operator station controller
- 36, Motion Control Function Block Library with trapezoidal & cam motion
- 38, Dual stepper drive controller with external encoder module interface port
- 42-45, External dual, bidirectional encoder module with marker, fast event inputs, buffered encoder retransmit, 5VDC encoder supply



dw230 ... **savvyPanel touch**



drive.web automation

- ~ distributed control over Ethernet
- ~ full featured programmable control
- ~ intuitive graphical programming tools
- ~ Internet accessible
- ~ cost effective systems any size or complexity
- ~ configure, connect & control
- ... everthing from anywhere

Everything normally in stock!

drive.web automation

from Bardac Corporation

40 Log Canoe Circle
Stevensville, MD 21666 USA

www.bardac.com

www.driveweb.com

Phone International +410-604-3400

Phone US Toll Free 1-888-667-7333

1-888-ON SPEED

Fax International +410-604-3500

drive.web catalog 2022.1

INDEX

A	M
Application Notes	Modulus
Electronic Line Shaft 29	Enclosed Drive Systems 34
Line Drive Coordination	Modulus Packaged Drive Systems 34
29, 32, 33	Motion Control 30, 31
Process Line Coordination	Cam Profile 30
29, 30, 31	Stepper Drive Control 31
Registration 29	Trapezoidal Motion 30
Winder Controls 28	Motors AC 34
Apps Packages 27, 29, 32	Motors, DC 34
Automation Technology 3	
C	O
Cam Profile 30	Online Support 34
Configuration Tools 8-11	Operator Station
D	savvyPanel 12
Distributed Control 6	P
drive.web	Packaged Modulus Drive Systems 34
Application Solutions	Process Line Coordination
27, 28, 29, 30, 32	29, 30, 31
Concept 3	Programming Tools 12
Connectivity 4	R
Model Numbers 17, 22, 23	Registration Control 29
Products 7	S
savvy software 10, 11, 12, 14,	savvyPanel Touch Screens 12
16, 21, 22, 24, 26, 27,	savvy programming 11
28, 30, 32	savvy-SFD Signal Flow Diagram 10
smarty dw240 14	savvy software 6, 8, 10, 12, 14,
smarty dw210 18	20, 21, 22, 24, 26, 27,
speedy 20	28, 30, 32
Systems 6	savvy software download 9
drive.web controllers 14, 18, 20	Service 34, 35
drive.web Line Control 29, 32, 33	Service Charges 35
E	smarty dw240 Controller 14
Electronic Line Shaft 29	smarty dw240 Controller 18
Email Function Block 33	speedy Controller 20
Engineered Apps 27	Stepper Drive Control 31, 32
F	System Design Tools 8-11
Field Service 35	Systems 6, 34
Frequency follower 32	T
Frequency i/o 23	Temperature Control 27
G	Terms Sale & Payment 35
Get savvy download 9	Training Seminars 35
I	Trapezoidal Motion 30
iOS, iPad, iPhone	W
savvyPanel 13	WiFi Roaming 33
	Winder Controls 18
	drive.web smarty
	Dancer controlled 28
	Loadcell controlled 28
	Open loop CTCW 28